

# 3300 WATTS

## GP SERIES

### Portable Inverter Generator

**GENERAC**<sup>®</sup>



GP3300i Portable Inverter Generator featuring PowerRush™ Advanced Technology

# GP3300i

## PORTABLE INVERTER GENERATOR

### Light and quiet power on the go.

Power whenever and wherever you need it, the Generac GP3300i inverter featuring new, advanced PowerRush™ technology delivers over 50 percent more starting capacity for your RV essentials and other motor-driven equipment—so you can do more with less.\* Quiet inverter power—perfect for outdoor activities in a compact and lightweight solution.

#### OVER 50% MORE STARTING CAPACITY

with new, advanced PowerRush™ technology so you can do more with less\*

#### QUIET INVERTER POWER

that reduces sound emissions and provides optimal performance



#### EASY-TO-CARRY

with a compact and lightweight built-in handle

#### ONE SIMPLE-TO-USE DIAL

that integrates start/run/stop functions with PowerDial™



POWER RUSH™

## DOUBLE YOUR POWER

PARALLEL KIT (#7668-0)

A Generac parallel kit allows you to double your power when pairing two inverter generators together with the same output.† Parallel kit sold separately.



\*Increases electrical current upon demand; above rated output when starting electric motors.

†Connect any two Generac 3000 or 3500 Series' inverters for twice the power. Applies when pairing two inverter generators with the same output. Parallel kit sold separately.





# GP3300i

## PORTABLE INVERTER GENERATOR



### SPECIFICATIONS

SERIES	GP3300i
Model #	7154
Configuration	50ST/CSA
Running Watts	2500
Starting Watts	3300
Engine Type	Generac OHV
Engine Displacement	149cc
Starting Method	Recoil Pull Start
Low Oil Shutdown	Yes
Fuel Tank Capacity (Gallons)	1.06
Run Time @ 50% Load	4.5 hours
Run Time @ 25% Load	7 hours
Rated Voltage	120V
Low Total Harmonic Distortion (THD)	Less than 3%
Outlets	(2) 120V 20A 5-20R Duplex, (1) 120V 30A L5-30R Twist Lock, (2) USB Outlets
Parallel Ready	Yes
Handle Style	Single, Molded Into Enclosure
Dimensions (L" x W" x H")	22.3 X 13.4 X 18.4
Product Weight	59.5 lbs
Warranty - Residential	3 Year Limited
Warranty - Commercial	1 Year Limited

All portable specifications and models subject to change. Please consult factory for availability.

### PARALLEL KIT

Model # (Configuration)	7668-0
Receptacle Type	(1) 120V 50A 14-50R, (1) 120V 30A TT-30R (RV)
Covered Outlets	Yes
Rated 120 VAC Amperage	50 Amp
AC Rated Voltage	120 V
Warranty - Residential	90 Day Limited
Warranty - Commercial	90 Day Limited
Dimensions (L x W x H)	9.84" x 4.33" x 8.27"

# GENERAC®