

MLT4000 SERIES WIDE BODY LIGHT TOWERS



4000 SERIES WIDE BODY LIGHT TOWERS

Generac Mobile wide body light towers go WHEREVER you need them. These mobile units are offered in a variety of configurations with options to meet every need. The tubular steel frame, powder-coated enclosure and wide body design are built to stand up to the harshest of conditions. That includes remote locations and rugged terrain.

These vertical mast light towers come standard with an electric winch for easy deployment. Standard analog controls are easy to use and allow for individual light operation. Upgrade to the fully programmable Power Zone[®] controller with auto start/stop and dusk-to-dawn sensor.

ROBUST

- Proven performance in extreme environments
- Durable steel frame and enclosure
- Powerful LED or optional metal halide bulbs

VERSATILE

- Fully adjustable mast and fixtures
- Transport via tow hitch, fork pockets or lifting eye
- Convenience power options from 6 – 15 kW for jobsite power needs

EASY TO USE

- Ground adjustable mast and fixtures - no tools necessary
- Standard electric mast deploys in < 15 seconds
- Optional Power Zone controller for programmable start and stop



MLT4150
with external
convenience power

MLT4060
MLT4080




Picture may not reflect actual configurations.



APPLICATIONS

- Commercial Construction
- Infrastructure / Roadwork
- Oil and Gas Sites
- Military Operations
- Open Mining
- Base Camps
- Outdoor Events

- ① Durable LED Luminaires
- ② Fully Rotational Mast
- ③ ON/OFF Switch for Each Luminaire
- ④ Fluid Containment
- ⑤ Heavy-Duty Steel Enclosure
- ⑥ 4-Point Outriggers
- ⑦ Convenience Receptacles
- ⑧ Large Fuel Tank
- ⑨ Quick Electric Power Mast



RPM QUICK DRAIN FAST | CLEAN | EFFICIENT

A streamlined oil change process:

- Convenient – no need to reach under machines
- Purges & extracts from the sump
- Evacuates the sump directly to final containment via zero leak quick disconnect
- No spills, dripping filters, drain pans or intermediate containers needed
- Completes engine oil and filter change in less than 10 minutes
- Improve scheduling of assets and reduce downtime.

Note: Customer has to have the hardware to utilize the RPM system.



OPTIONAL POWER ZONE® PLUS CONTROLLER

- Large, easy-to-read, backlit color display
- One-touch manual start with individual light controls
- Dusk-to-dawn sensor or 7-day scheduler automatically starts and stops the unit each day
- Programmable service reminders for custom alerts
- Comprehensive warnings protect the operator and equipment
- Telemetry interfacing for remote monitoring



SNAP ON DIFFUSE LENS KIT

- Snap on style for quick installation
- Reduces light producing glare
- Solution for glare-free highway applications





MAKE A BETTER BUSINESS DECISION WITH THE TOTAL COST OF OWNERSHIP CALCULATOR



<https://www.generacmobileproducts.com/specialpages/lighttowers/tco-calculator>



LED VS METAL HALIDE

	320W Generac® LED		1100W Metal Halide
DEGRADATION 3% @ 10,000 hrs / 30% @ 50,000 hrs		DEGRADATION 50% @ 10,000 hrs	
REPLACEMENT Expected LED life span more than 10 years / 50,000 hours		REPLACEMENT Rental companies estimate every 1,000 hours	
WARRANTY 5 years Limited warranty on fixtures; includes modules, drivers and cords		WARRANTY 2 years* *Bulbs are replaced at customer's expense and labor	

FACT: LED towers provide 3100W more convenience power than the same node with metal halide lights. ✓

WIDE BODY SELECTION GUIDE

	MLT4060KVLED	MLT4060KV	MLT4060MVLED	MLT4060MV	MLT4080KVLED	MLT4080KV	MLT4150MVLED	MLT4150MV
LED	✓	✗	✓	✗	✓	✗	✓	✗
DIFFUSE LIGHT	Snap on Lens (option)	✗	Snap on Lens (option)	✗	Snap on Lens (option)	✗	Snap on Lens (option)	✗
METAL HALIDE (MH)	✗	✓	✗	✓	✗	✓	✗	✓
FUEL / POWER SOURCE	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
ENGINE	Kubota	Kubota	Mitsubishi	Mitsubishi	Kubota	Kubota	Mitsubishi	Mitsubishi
CYLINDERS	3	3	3	3	3	3	4	4
MAST TYPE	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical
MAST HEIGHT FT (M)	25	25	25	25	25	25	25	25
STANDARD WINCH	Electric	Electric	Electric	Electric	Electric	Electric	Electric	Electric
CONVENIENCE POWER (MAX KW)	6kW	6kW	6kW	6kW	8kW	8kW	15kW	15kW
RUN TIME HRS* LIGHTS ONLY)	184	N/A	187	103-122	165	103	136	86
RUN TIME HRS* (FULL LOAD)	85	85	95	95	65	65	38	38
SOUND dB	68	68	68	68	68	68	71	71
LUMINAIRE EXPECTED LIFE SPAN (hr)	50,000	1,000	50,000	1,000	50,000	1,000	50,000	1,000
AUTO ON/OFF	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
DUST TO DAWN SENSOR	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
ELECTRICAL OUTLETS	(1) 120V 20A duplex (1) 120/240V 30A				(2) 120V 20A duplex (1) 120/240V 30A		(2) 120V 20A duplex (2) 120/240V 30A (2) 120/240V 50A	

*For complete details of Technical specifications please see the products Spec Sheet available through the Generac Mobile website.

PUT YOUR TRUST IN THE LARGEST LIGHT TOWER MANUFACTURER IN THE WORLD.

We lead the industry with innovative and revolutionary light tower solutions. Easy to setup, operate and maintain, our light towers provide maximum power in a minimal footprint. With extended run times and service intervals, LED safety features, innovative engine technologies and programmable controls, our products can be trusted to maximize uptime and return on your investment.



GENERAL USE ENTERTAINMENT | HEAVY DUTY CONSTRUCTION OIL & GAS | GENERAL CONSTRUCTION

GENERAC®
MOBILE

GeneracMobileProducts.com

800-926-9768 | +1 920-361-4442

201901431 Rev. 07/21 ©2021 Generac Power Systems. All rights reserved.

Specifications are subject to change without notice.