MLTS LIGHT TOWER



GENERAC

MOBILE

MLTS LED LIGHT TOWER

HIGH PERFORMANCE, LOW OPERATING COSTS


The new MLTS LED light tower from Generac Mobile provides powerful, even lighting, simplified controls and low maintenance requirements for maximum return on investment (ROI). A 2-cylinder engine allows for lower initial acquisition cost, a long runtime of up to 165* hours and low operating costs. The MLTS is designed for equipment rental companies, contractors and end users that are looking for excellent value, utility and reliability.



FLEX SWITCH™ OPTION

Control your power source and your costs with FLEX SWITCH. This optional feature allows the operator to switch from engine power to utility power when desired - dramatically reducing operating costs, lowering noise and extending runtime.

CONTAINMENT



REAR FLIP HOOD

with gas struts opens easily, and stays secure for quick and easy unobstructed maintenance access

OPTIONAL POWER ZONE® AUTOLIGHT CONTROLLER

OPTIONAL EXPORT POWER

up to 2.4kW for tools and other jobsite power needs

ILLUMINATED CONTROLS

and LED running lights for enhanced visibility and safety



NEW POWER ZONE® AUTOLIGHT CONTROLLER

Upgrade from analog to this intuitive, push-button controller. The Power Zone Autolight controller allows for easy automated operation - dusk-to-dawn, dusk plus 4 hours or dusk plus 8 hours. Monitor engine diagnostics with simple indicator lights.

DURABLE GENERAC® LEDS

All Generac Mobile LED towers feature our robust LED fixtures, designed to last the life of the tower - a 10-year life expectancy, backed up by a 5-year warranty.

WHY LED?

Bright, Consistent Lighting

Truer colors, important for hazard and warning labels and signage, as well as wiring applications. LEDs degrade very minimally over time, unlike metal halide bulbs which lose 50% of their light output within the first 10,000 hours.

Instant ON/OFF Light

No waiting, save time and enhance safety.

Fuel Efficient

LEDs consume less power, resulting in extended runtimes and significant fuel savings.


Long, Durable Generac LED Fixtures

Won't break and don't require bulb changes, for ease of operation and more uptime.



MLTS LED LIGHT TOWER

Specifications	USA (METRIC)
Engine Make	Mitsubishi®, 2 Cylinder
Onboard Export Power: kW	Optional, 2.4
Max Mast Height	23 ft (7 m)
Winch	Manual, Electric Option
Lights	(4) 320W LED
Total Lumens	188,000
Coverage @ Min. 0.5 ft-c	25,068 ft² (2,328 m²)
Diffuse Light	Optional Snap-on Diffuse Lens Kit
Max Run Time (Lights Only)*	165 hrs
Standard Controller	Analog, Optional Power Zone PLUS Autolight
Dusk-To-Dawn Sensor	Optional with Power Zone
Individual On/Off Light Control	Yes
Oil Service Interval*	1000 hrs
CSA Certified	Yes





DOWNLOAD OUR LIGHT TOWER FACT SHEET

Learn more about the benefits of LED.

Specifications are subject to change without notice. Additional options available.

*Results based on engine manufacturer and field test data after 50 hour engine break-in period and may vary based on factors including age and maintenance of equipment, environmental conditions and fuel density. Consult the Owner's Manual for fuel and maintenance recommendations



Generac Mobile Products, LLC. 215 Power Drive, Berlin WI 54923

 ${\bf Generac Mobile Products.com}$

800-926-9768 | +1 920-361-4442

201901430 REV 01/20

©2019 Generac Power Systems. All rights reserved. Specifications are subject to change without notice.