

# WINCO<sup>®</sup> GENERATORS



An American Company

We produce our products in our 200,000ft<sup>2</sup> facility located in Le Center, Minnesota, equipped with modern engineering, fabrication and assembly capabilities.



## Full Load Tested

Every generator is 100% load tested




## DSE 3110 Controller

Provides operating and diagnostic information



## Sure Flow Cooling System

Three cooling intakes provide exceptional airflow and reduce heatsoak.



## Battery Charger

1.5 Amp, smart marine charger standard



## TÜV Certified

The design, construction, and performance of our stationary generators conform to UL2200 and CSA standards



# PSS11B2W

11,000 WATTS

## Rugged Design.

Durable enclosure with powder coat paint



## Industrial Vanguard Engine.



## Mecc Alte Genend.

Brushless





# SPECIFICATIONS

## SHIPPING

SHIPPING DIMENSIONS (L x W x H)	48" x 32" x 36"
SHIP WEIGHT	484 LBS
FREIGHT CLASS	70

## OPTIONAL ACCESSORIES

BATTERY	
BATTERY HEATER	
AUTOMATIC TRANSFER SWITCH	
VAPOR FUEL STRAINER	
OIL HEATER	
MAINTENANCE KIT	

## DSE 3110 CONTROLLER

### ENGINE DISPLAY/PROTECTION

LOW OIL PRESSURE	YES
HIGH OIL TEMP	YES
OVER/UNDER SPEED	YES

### GENSET DISPLAY/PROTECTION

OVER/UNDER VOLTAGE	YES
UNDER FREQUENCY	YES

### ADDITIONAL DISPLAYS/PROTECTIONS

BATTERY OVER/UNDER VOLTAGE	YES
----------------------------	-----

### COMMUNICATIONS

USB CONNECTABLE	YES
-----------------	-----

### ADDITIONAL FEATURES

CONFIGURABLE INPUTS	6
CONFIGURABLE OUTPUTS	4

Notes: Control displays generic fault codes.

## DIMENSIONS



Specifications are subject to change without notice.

